

1/ 12




Fig. 1




Fig. 2

09887144-062201

2/ 12




Fig. 3




Fig. 4




Fig. 5

098344-0620

3/ 12




Fig. 6




Fig. 7

0987144-06201






Fig. 10




Fig. 11

0987144-06201  
102290-44T/8860





Fig. 12

CH1  $S_{11}$  SWR 500 m/ REF 1 4: 1.5116  
 CH2  $S_{21}$  log MAG 2dB/ REF -30 dB 4: -26.451 dB



Start 800.000 000 MHz Stopp 2 800.000 000 MHz

Fig. 13

09887144-062201




Fig. 14




Fig. 15

0987144-06201




Fig. 16




Fig. 17

09887144-062201






Fig. 18




Fig. 19

0987144-06201

10/ 12

CH1 S<sub>11</sub> SWR 500 m/ REF 1 1: 1.0578  
CH2 S<sub>21</sub> log MAG 10dB/ REF -46 dB 1: -32.589 dB




Fig. 20

CH1 S<sub>11</sub> SWR 500 m/ REF 1 2 1.028  
CH2 S<sub>21</sub> log MAG 10dB/ REF -46 dB 2: -41.628 dB






Fig. 21

1022290" 44728860

CH1	$S_{11}$	SWR	200 m/	REF 1	1 1.0764
CH2	$S_{21}$	log MAG	10dB/	REF -46 dB	1: -33.001 dB



12/12




Fig. 24

0988744-062201